



CORDLESS LIGHTING

2023



Shine a Light on Memorable Dining
DineLighting.com



Where You Want It™

Food for the soul is also a feast for the eyes.

Providing an environment that lifts the spirit and enhances the meal is the goal of every great establishment.

Dine Lighting is happy to represent Zafferano:
"Shining a Light on Memorable Dining."™

Light Impacts Psychology & Mood in Restaurants.

Apicius, a first-century Roman, said,

"We eat with our eyes as well as our mouths."

The beauty of adequately presented food will provide an emotional experience before the first bite. Yet often, it is missed.

Zafferano designs provide unobtrusive lighting for indoor and outdoor applications.

Dine Lighting serves Country Clubs, Catering Facilities, Restaurants, and all Hospitality Venues in the North East.



CORDLESS LIGHTING
2023



The Collections



6 The Poldina Family

Poldina Pro
Poldina Lido
Poldina Mini
Poldina Micro
Poldina L
Poldina XXL
Poldina Stake
Poldina Suspension
Poldina Wall

44 The Olivia Family

Olivia
Olivia Mini

54 Ofelia

Ofelia

60 Pina

Pina
Pina Floor Stand

68 The Swap Family

Swap
Swap Mini

78 Home

Home

84 Dama

Dama 86

90 Olimpia

Olimpia 92

96 The Sister Family

Sister Light
Sister Light Mini
Sister Light Mini Bowl/Plate
Sister Light Stake
Sister Light Wall

112 Pencil

Pencil 114 Pencil Battery Charger 118
Pencil Docking & Charging Station 120
Pencil Rotating Docking Station 122
Pencil Table Bases 124 Pencil
Horizontal Wall Brackets 126 Pencil
Vertical Wall Kit 128 Pencil Horizontal
Suspension Kit 130 Pencil Vertical
Suspension Kit 132

134 Accessories

Charging Bases
Rechargeable Batteries

The Poldina Family



POLDINA MICRO



POLDINA MINI



POLDINA



POLDINA L



POLDINA XXL


Poldina Pro




Poldina is a battery-operated portable and rechargeable table lamp. It is equipped with contact charging base and dimmer touch control. The lamp is equipped also with a light color temperature selection function 2700K or 3000K (dynamic white).

TECHNICAL DATA

LED DIMMER • 2.2W • 192-200lm
2700-3000K • IP65 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 9 hours at full power
Charging time at 1A: 6 - 7 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Painted models are suitable for indoor or outdoor use



ACCESSORIES INCLUDED

Contact charging base

Lamps with gold leaf, silver leaf, copper leaf finishes or glossy gold and glossy chrome are not suitable for outdoor use.



LD0340B3
White



LD0340R3
Rust



LD0340N3
Dark Grey



LD0340S3
Sand



LD0340A3
Blue



LD0340M3
Dark Green



LD0340G3
Sage Green



LD0340P3
Pink



LD0340F3
Red



LD0340X3
Burgundy



LD0340N3
Black



LD0340BFO
Gold Leaf



LD0340BFA
Silver Leaf



LD0340RFR
Copper Leaf



LD0340O3
Glossy Gold



LD0340C3
Glossy Chrome

NEW

NEW



Lamps with gold leaf, silver leaf, copper leaf finishes or glossy gold and chrome are not suitable for outdoor use.

Poldina Lido



Poldina Lido is a battery-operated, portable and rechargeable table lamp, featuring a ceramic lampshade cover, made and hand-painted in Italy.


The partnership with a long-established factory in Civita Castellana — a village near Rome, where the art of ceramics has been practiced since the 10th century BC — allows Zafferano to rely on the exclusive manufacture of made in Italy products, which are hand-decorated according to the company's own design.

TECHNICAL DATA

LED DIMMER • 2.2W • 192-200lm
2700-3000K • IP65 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 9 hours at full power
Charging time at 1A: 6 - 7 hours
Ceramic shade handmade in Italy
Polycarbonate diffuser
Cover can also be purchased separately



ACCESSORIES INCLUDED

Contact charging base

Lamps with gold leaf, silver leaf, copper leaf finishes or glossy gold and glossy chrome are not suitable for outdoor use.



LD0340BC1
White / Green Stripes



LD0340BC2
White / Yellow Stripes



LD0340BC3
White / Blue Stripes



LD0340FC1
Red / Red Stripe



LD0340AC1
Light Blue Fish



Poldina Mini




Poldina Mini is a battery-operated portable and rechargeable table lamp. It is equipped with contact charging base and dimmer touch control. The lamp is equipped also with a light color temperature selection function, 2700K or 3000K (dynamic white).

TECHNICAL DATA

LED DIMMER • 2.2W • 192-200lm
2700-3000K • IP65 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 9 hours at full power
Charging time at 1A: 6 - 7 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Painted models are suitable for indoor or outdoor use



ACCESSORIES INCLUDED

Contact charging base

Lamps with gold leaf, silver leaf, copper leaf finishes or glossy gold and glossy chrome are not suitable for outdoor use.



LD0320B3
White



LD0320R3
Rust



LD0320N3
Dark Grey



LD0320S3
Sand



LD0320BFO
Gold Leaf



LD0320BFA
Silver Leaf



LD0320RFR
Copper Leaf




LD0320O4
Glossy Gold



LD0320C4
Glossy Chrome

Poldina Micro




Poldina Micro is a battery-operated portable and rechargeable table lamp. It is equipped with contact charging base, dimmer touch control and light color temperature selection function, 2200K, 2700K or 3000K (dynamic white).

TECHNICAL DATA

LED DIMMER • 1.8W • 124-128lm
2200-2700K • IP65 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 7 - 8 hours at full power
Charging time at 1A: 3 - 4 hours
Die-cast aluminium fixture
Polycarbonate diffuser
Painted models are suitable for indoor or outdoor use
Salt spray resistant (500 hours)



ACCESSORIES INCLUDED

Contact charging

base Plug not

included

Lamps with glossy gold and glossy chrome finish are not suitable for outdoor use.



LD0490B3
White



LD0490R3
Rust



LD0490N3
Dark Grey



LD0490D3
Black



LD0490L3
Lilac



LD0490K3
Capri Blue



LD0490V3
Apple
Green



LD0490Z3
Orange



LD0490G3
Sage
Green



LD0490P3
Pink



LD0490F3
Red



LD0490S3
Sand



LD0490O3
Glossy
Gold



LD0490C3
Glossy Chrome

Poldina L




Poldina L is a battery-operated portable and rechargeable floor and table lamp. It is equipped with contact charging base, dimmer touch control, light color temperature selection function, 2700K or 3000K (dynamic white) and a 3-rod kit that allows you to adjust the height of the lamp from minimum 20.4 inches to maximum 48 inches.

TECHNICAL DATA

LED DIMMER • 4.5W • 370-400lm
 2700-3000K • IP54 • CRI>80
 100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
 Battery lasts about 11 hours at full power
 Charging time at 1A: 11 hours
 Painted die-cast aluminium fixture
 Polycarbonate diffuser
 Suitable for indoor or outdoor use



ACCESSORIES INCLUDED

Contact charging base
 3-rod kit



LD0390B3
White



LD0390R3
Rust



LD0390N3
Dark Grey



Poldina XXL




Poldina XXL is a battery-operated portable and rechargeable floor and table lamp. It is equipped with contact charging base, dimmer touch control, light colour temperature selection function, 2700K or 3000K (dynamic white) and a 3-rod kit that allows you to adjust the height of the lamp from minimum 27.63" to maximum 59".

TECHNICAL DATA

LED DIMMER • 10W • 460-510lm
2700-3000K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 15 hours at full power
Charging time at 1A: 20 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Suitable for indoor or outdoor use



ACCESSORIES INCLUDED

Contact charging
base 3-rod kit



LD0360B3
White



LD0360R3
Rust



LD0360N3
Dark Grey




Poldina Stake



Poldina Stake is a battery-operated portable and rechargeable lamp, equipped with dimmer touch control. Additional stem extensions are available as accessories to increase the height of the lamp.

TECHNICAL DATA

LED DIMMER • 2.2W • 188lm
3000K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 9 hours at full power
Rechargeable with a micro-USB cable
Charging time at 1A: 6 - 8 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Suitable for indoor or outdoor use

The stability of the lamp is guaranteed only when using a maximum of three extensions
The head can be removed from the body of the lamp for easier recharging.

ACCESSORIES INCLUDED

Charger with a Micro-USB input
1 x Stem extension



LD0282B3
White



LD0282R3
Rust



LD0282N
3 Dark
Grey



LD0283B3
White



LD0283R3
Rust



LD0283N
3 Dark
Grey




Poldina Suspension



Poldina Suspension is a battery-operated portable and rechargeable suspension lamp, equipped with dimmer touch control.


TECHNICAL DATA

LED DIMMER • 2.2W • 188lm
3000K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 9 hours at full power
Rechargeable with a micro-USB cable
Charging time at 1A: 6 - 8 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Suitable for indoor or outdoor use

The head can be removed from the body of the lamp for easier recharging.



ACCESSORIES INCLUDED

Charger with a Micro-USB input



LD0286B3
White



LD0286R3
Rust



LD0286N3
Dark Grey



Poldina Wall





Poldina Wall is a battery-operated portable and rechargeable lamp, available in two versions, and equipped with dimmer touch control.

TECHNICAL DATA

LED DIMMER • 2.2W • 188lm
 3000K • IP54 • CRI>80
 100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
 Battery lasts about 9 hours at full power
 Rechargeable with a micro-USB cable
 Charging time at 1A: 6 - 8 hours
 Painted die-cast aluminium fixture
 Polycarbonate diffuser
 Suitable for indoor or outdoor use
 The head can be removed from the body of the lamp for easier recharging.



ACCESSORIES INCLUDED

Charger with a Micro-USB input



LD0288B3
White



LD0288R3
Rust



LD0288N3
Dark Grey



LD0289B3
White



LD0289R3
Rust



LD0289N3
Dark Grey



The Olivia Family




Olivia



Olivia is a battery-operated portable and rechargeable table lamp. It is equipped with contact charging base, dimmer touch control and dimmer memory function which adjusts the light intensity and memorises the dimmer steps; consequently, every time it is switched on, the light intensity will correspond to that previously set. The lamp is equipped also with a light colour temperature selection function, 2700K or 3000K (dynamic white).

TECHNICAL DATA

LED DIMMER • 2.2W • 144-150lm
3000K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 9 hours at full power
Charging time at 1A: 6 - 8 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Suitable for indoor or outdoor use



ACCESSORIES INCLUDED

Contact charging base



LD0850B3
White



LD0850R3
Rust



LD0850N3
Dark Grey



LD0850BFO
Gold Leaf



LD0850BFA
Silver Leaf



LD0850RFR
Copper Leaf

Lamps with gold leaf, silver leaf and copper leaf finishes are not suitable for outdoor use.



Olivia Mini




Olivia is a battery-operated portable and rechargeable table lamp. It is equipped with contact charging base, dimmer touch control and dimmer memory function which adjusts the light intensity and memorises the dimmer steps; consequently, every time it is switched on, the light intensity will correspond to that previously set. The lamp is equipped also with a light colour temperature selection function, 2700K or 3000K (dynamic white).

TECHNICAL DATA

LED DIMMER • 2.2W • 144-150lm
3000K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 9 hours at full power
Charging time at 1A: 6 - 8 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Suitable for indoor or outdoor use



ACCESSORIES INCLUDED

Contact charging base



LD0860B3
White



LD0860R3
Rust



LD0860N3
Dark Grey



LD0860L3
Lilac



LD0860K3
Capri Blue



LD0860V3
Apple
Green



LD0860Z3
Orange



Ofelia



Ofelia




Ofelia is a battery-operated portable and rechargeable table lamp. It is equipped with contact charging base, dimmer touch control and dimmer memory function which adjusts the light intensity and memorises the dimmer steps; consequently, every time it is switched on, the light intensity will correspond to that previously set. The lamp is equipped also with a light colour temperature selection function, 2700K or 3000K (dynamic white).

TECHNICAL DATA

LED DIMMER • 2.2W • 144-150lm
3000K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 9 hours at full power
Charging time at 1A: 6 - 8 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Suitable for indoor or outdoor use



ACCESSORIES INCLUDED

Contact charging base



LD0870B3
White



LD0870R3
Rust



LD0870N3
Dark
Grey



LD0870S3
Sand



LD0870G3
Sage



Pina



Pina

Pina




Ofelia is a battery-operated portable and rechargeable table lamp. It is equipped with contact charging base, dimmer touch control and dimmer memory function which adjusts the light intensity and memorises the dimmer steps; consequently, every time it is switched on, the light intensity will correspond to that previously set. The lamp is equipped also with a light colour temperature selection function, 2700K or 3000K (dynamic white).

TECHNICAL DATA

LED DIMMER • 2.2W • 185lm
2700K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 12 hours at full power
Charging time at 1A: 6 - 8 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Suitable for indoor or outdoor use



ACCESSORIES INCLUDED

Contact charging base



LD0650B3
White



LD0650R3
Rust



LD0650N3
Dark Grey



LD0650S3
Sand



LD0650D3
Sage



Pina Floor Stand




A floor stand that turns Pina (page 76) into a floor lamp or a lamp with peg. The lower end of the stand can be mounted in three different configurations: with the base only; with the peg only; with both peg and base, to increase the stability of the stand.

Pina lamp fits exactly in the upper part of the stand, without hooking for easy removal. This floor stand does not provide a charging function.

TECHNICAL DATA

Painted aluminium fixture



COMPONENTS INCLUDED

- 1 x Housing for lamp
- 1 x Base
- 1 x Peg
- 2 x Stem
- Assembling kit



The Swap Family



Swap



Swap is a battery-operated portable and rechargeable table lamp. It is equipped with contact charging base and dimmer touch control. The model LD1020 must be customized choosing from a range of glass lampshades or a fabric "handkerchief", which are attached to the top of the lamp with a magnet.



TECHNICAL DATA

LED DIMMER • 2.2W • 183lm
2700K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 12 hours at full power
Charging time at 1A: 6 - 8 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Suitable for indoor or outdoor use

The model LD1020 must be customized choosing from a range of glass lampshades or a fabric "handkerchief", which are attached to the top of the lamp with a magnet



ACCESSORIES INCLUDED

Contact charging base



LD1010B3
White



LD1010R3
Rust



LD1010N3
Black

MARILYN

Lampshade made of fire-retardant elastic fabric: washable and crease-resistant, with zig-zag edging.



LD102000
White

25 DOTS

Lampshade in blown and hand-made borosilicate glass



LD102001
White

LD102002
Black

LD102003
Amber

LD102004
Blue

41 DOTS

Lampshade in blown and hand-made borosilicate glass



LD10201
1 White

LD10201
2 Black

LD10201
Black

LD10201
3 Amber

LD10201

LD10201
4 Blue



Swap Mini




Swap mini is a battery-operated, portable and rechargeable table lamp. It has a contact charging base and dimmer touch control.

TECHNICAL DATA

LED DIMMER • 2.2W • 185lm
2700K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Ø 4,9 cm
Ø 1,9"



ACCESSORIES INCLUDED

Contact charging
base Plug not

Included



LIGHT
Where You Want It™



LD1011B3
White



LD1011R2
Rust



LD1011N3
Dark Grey



LD1011L3
Lilac



LD1011K3
Capri Blue



LD1011V3
Apple Green



LD1011Z3
Orange



LD1011O3
Glossy Gold



LD1011C3
Glossy Chrome

Lamps with glossy gold and glossy chrome finishes are not suitable for outdoor use.



Home



Home




Home is a battery-operated portable and rechargeable table lamp. It is equipped with contact charging base and dimmer touch control.

TECHNICAL DATA

LED DIMMER • 2.2W • 165lm
2700K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 12 hours at full power
Charging time at 1A: 6 - 8 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Suitable for indoor or outdoor use



ACCESSORIES INCLUDED

Contact charging base



LD0258B3
White



LD0258R3
Rust



LD0258N3 Dark
Grey



Dama



Dama




Dama is a battery-operated portable and rechargeable table lamp. It is equipped with contact charging base, dimmer touch control and a light colour temperature selection function, 2700K or 3000K (dynamic white). Available with a USB-a port for charging mobile devices.

TECHNICAL DATA

LED DIMMER • 2.2W • 166-178lm
2700K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 9 hours at full power
Charging time at 1A: 6 - 8 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Suitable for indoor or outdoor use



ACCESSORIES INCLUDED

Contact charging base



LD0611B3
White



LD0611N3
Black



Olimpia



Olimpia




Olimpia is a battery-operated portable and rechargeable table lamp. It is equipped with contact charging base, dimmer touch control and an accessory lens to warm the color temperature of light (2700K).

TECHNICAL DATA

LED DIMMER • 2.5W • 200lm
3000K • IP54 • CRI>80
100-240V • 50-60Hz • 5Vdc max 1A



Rechargeable and replaceable lithium battery pack
Battery lasts about 9 hours at full power
Charging time at 1A: 9 hours
Painted die-cast aluminium fixture
Polycarbonate diffuser
Suitable for indoor or outdoor use



ACCESSORIES INCLUDED

Contact charging base



LD0900B3
White



LD0900N3
Black



LD0900O3
Gold



LD0900C3
Chrome



LD0900E
Copper

Lamps with gold , chrome, and copper finishes are not suitable for outdoor use.



The Sister Family



Sister Light



Sister Light is a battery-operated portable and rechargeable table lamp. It is equipped with an electronic control system monitors the remaining autonomy and ensures constant luminous flux until the battery runs out. A customisable multifunctional touch control menu allows you to adjust the light color temperature to 2700-3350-4000K (dynamic white) and to set or exclude the 4-step dimmer function.

The top of the lamp, fixed to the stem, can be converted to magnetic fixing and detached to become an emergency light. The base of the lamp is designed to be mechanically fixed to a table.

TECHNICAL DATA

LED DIMMER • 3W • 250-260-270lm
2700-3150-4000K • IP6 • CRI>90
100-240V • 50-60Hz • 5Vdc max 2A



Rechargeable and replaceable lithium battery pack Battery lasts about 8 - 58 hours, depending on the luminous flux setting
Rechargeable with a USB-C cable
Charging time at 2A: 5 hours
Anodized aluminium fixture
Prismatic polycarbonate diffuser
Suitable for indoor or outdoor use
Impact resistant (IK07) and salt spray resistant (1500 hours)



ACCESSORIES INCLUDED

- Charging cable with USB-C input
- Kit for magnetic attachment
- Kit for attaching to a table
- Charger not included



LD0300A3
Aluminum



LD0300B3
Blue



LD0300O3
Gold



LD0300R3
Copper



LD0300V3
Green

Sister Light Mini




Sister Light mini is a battery-operated portable and rechargeable table lamp. It is equipped with an electronic control system monitors the remaining autonomy and ensures constant luminous flux until the battery runs out. A customisable multifunctional touch control menu allows you to adjust the light color temperature to 2700-3350-4000K (dynamic white) and to set or exclude the 4-step dimmer function.

The top of the lamp, fixed to the stem, can be converted to magnetic fixing and detached to become an emergency light. The base of the lamp is designed to be mechanically fixed to a table.

TECHNICAL DATA

LED DIMMER • 3W • 250-260-270lm
2700-3150-4000K • IP6 • CRI>90
100-240V • 50-60Hz • 5Vdc max 2A



Rechargeable and replaceable lithium battery pack Battery lasts about 8 - 58 hours, depending on the luminous flux setting

Rechargeable with a USB-C cable


Charging time at 2A: 5 hours

Anodized aluminium fixture

Prismatic polycarbonate diffuser

Suitable for indoor or outdoor use

Impact resistant (IK07) and salt spray resistant (1500 hours)



ACCESSORIES INCLUDED

Charging cable with USB-C input Kit for magnetic attachment

Kit for attaching to a table

Charger not included



LD030603
Gold



LD0306R3
Copper



LD0306V3
Green


Sister Light Mini Bowl/Plate




A serving accessory for the table that includes the base of Sister Light Mini lamp magnetically attached to a borosilicate glass bowl or plate.

The base is designed to be mechanically affixed to a table.

TECHNICAL DATA



Anodized aluminium fixture
Magnetic serving accessory in borosilicate glass
Salt spray resistant (1500 hours)



LD0700O3
Gold

LD0700R3
Copper

LD0700V3
Green



LD0701O3
Gold

LD0701R3
Copper

LD0701V3
Green

Sister Light Stake



Sister Light Stake is a battery-operated portable and rechargeable lamp. It is equipped with an electronic control system monitors the remaining autonomy and ensures constant luminous flux until the battery runs out. A customisable multifunctional touch control menu allows you to adjust the light color temperature to 2700-3350-4000K (dynamic white) and to set or exclude the 4-step dimmer function.




The top of the lamp, magnetized on the stem (convertible to mechanical attachment), can be detached to become an emergency lamp. Equipped with a 3-rod kit that allows you to adjust the height of the lamp from minimum 22.8 inches to maximum of 41.7 inches.

TECHNICAL DATA

LED DIMMER • 3W • 250-260-270lm
2700-3150-4000K • IP6 • CRI>90
100-240V • 50-60Hz • 5Vdc max 2A




5.2"
13.2cm




0.4"
1.2cm

41.7"
106cm



32.6"
83cm



22.8"
58cm



LD0302R3
Copper



LD0302V3
Green

ACCESSORIES INCLUDED

Charging cable with USB-C input

Kit for magnetic attachment

3-Rod Kit

Charger not included



Sister Light Wall



Sister Light Wall lamp is a battery-operated portable and rechargeable lamp. It is equipped with an electronic control system monitors the remaining autonomy and ensures constant luminous flux until the battery runs out. A customisable multifunctional touch control menu allows you to adjust the light colour temperature to 2700-3350-4000K (dynamic white) and to set or exclude the 4-step dimmer function.

The top of the lamp, magnetized on the stem (convertible to mechanical attachment), can be detached to become an emergency light.

TECHNICAL DATA

LED DIMMER • 3W • 250-260-270lm
2700-3150-4000K • IP6 • CRI>90
100-240V • 50-60Hz • 5Vdc max 2A



Rechargeable and replaceable lithium battery pack Battery lasts about 8 - 58 hours, depending on the luminous flux setting

Rechargeable with a USB-C cable

Charging time at 2A: 5 hours



Anodized aluminium fixture

Prismatic polycarbonate diffuser

Suitable for indoor or outdoor use

Impact resistant (IK07) and salt spray resistant (1500 hours)

The head can be removed from the body of the lamp for easier recharging.



ACCESSORIES INCLUDED

Charging cable with USB-C input


Kit for magnetic attachment

Charger not included

Pencil



Pencil



Pencil is a battery-operated portable and rechargeable lighting module, available in three sizes. Thanks to its dedicated accessories, it can become a floor, table, wall, and suspension lamp. It is equipped with: electronic control system that monitors the remaining autonomy and ensures constant luminous flux until the battery runs out, dimmer touch control and a light colour temperature selection function, 2700-3150-4000K (dynamic white).

TECHNICAL DATA

Small



LED DIMMER • 6W • 530-590-680lm
2700-3150-4000K • IP65 • CRI>90
100-240V • 50-60Hz • 19Vdc max 2.5A

Medium

LED DIMMER • 12W • 1050-1180-1350lm
2700-3150-4000K • IP65 • CRI>90
100-240V • 50-60Hz • 19Vdc max 2.5A

Large

LED DIMMER • 18W • 1340-1500-1700lm
2700-3150-4000K • IP65 • CRI>90
100-240V • 50-60Hz • 19Vdc max 2.5A



not included

Rechargeable and replaceable lithium battery pack
Battery lasts 8 - 58 hours, depending on the luminous flux setting
Rechargeable with a 3.5/1.3 connector, or by contact (when used with the charging base)
Recharging times at 3.16A: 6/9/12 h (for small/ medium/ large size respectively)
PPainted extruded aluminium fixture
Suitable for indoor or outdoor use
Impact resistant (IK07) and salt spray resistant (1500 hours)
With accessories, the lighting module can become a floor, table, wall and pendant lamp
Charger with a 3.5/1.3 connector must be purchased separately



White



Rust



Dark Grey

Small

LD0800B3

LD0800R3

LD0800G3

Medium

LD0801B3

LD0801R3

LD0801G3

Large

LD0802B3

LD0802R3

LD0802G3

ACCESSORIES



Battery charger



Horizontal wall lamp brackets



Docking and charging station



Vertical wall lamp kit



Rotating docking station



Vertical suspension kit



Table bases



Horizontal suspension kit



Pencil Battery Charger




The battery charger can recharge Pencil in two ways: either by connecting cable directly to the lighting module (fig. 1); or by connecting the cable to the docking station where the module is placed (fig. 2).

it must be purchased separately. The long-lasting battery of Pencil enable the use of just one battery charger to charge multiple lighting modules. It has a compact design, a cable with 3.5/1.3 connection and an interchangeable plug suitable for EU / USA standards; dual voltage 100/240V.

TECHNICAL DATA


47.5W • 100-240V • 50-60Hz
19Vdc max 2,5A



Charger with a 3.5/1.3 connector

Interchangeable plug suitable for EU / USA standards

LD0800CS



Pencil Docking & Charging Station



A dual-function accessory: it is mainly used as a docking station, turning Pencil (page 146) into a floor or table lamp. Connected to the battery charger (page 150), it becomes a contact charging base for the lighting module.

The lighting module can be used in its fixed housing, or detached and carried from one place to another.

The docking station will only charge the lamp if it's connected to the charger.



TECHNICAL DATA

19Vdc max 2,5A



Painted aluminum fixture
Suitable for indoor use only

Charger with a 3.5/1.3 connector not included



LD0810B3
White



LD0810R3
Rust



LD0810G3
Dark Grey

Pencil Rotating Docking Station




This docking station that turns Pencil into a floor lamp or table lamp.

In contrast to the docking station (code LD0810B/R/G3), this accessory keeps the lighting module perpendicular to the supporting surface and allows it to rotate 360° on the longitudinal axis, in both directions. Depending on the angle, the lighting module can produce direct or indirect light.

The lighting module can also be used in its fixed housing, or detached and carried from one place to another.

This docking station does not provide a charging function.

TECHNICAL DATA




Painted aluminum fixture

This docking station does not charge the lamp



LD0816B3
White



LD0816R3
Rust



LD0816G3
Dark Grey



Pencil Table Bases




The Table Bases turn Pencil into a table lamp. According to its position on the bases, it gives direct or indirect light. The lighting module can be used in its fixed housing, or detached and carried from one place to another.

TECHNICAL DATA




Transparent PMMA structure



LD081400
Transparent



Pencil Horizontal Wall Brackets




Horizontal Wall Brackets turn Pencil into a horizontal wall lamp. Depending on the position where it is placed on supporting fixtures, the lighting module produces direct or indirect light.

The lighting module can also be used in its fixed housing, or detached and carried from one place to another.

TECHNICAL DATA

Painted die-cast aluminium



LD0813B3
White



LD0813R3
Rust



LD0813G3
Dark Grey


Pencil Vertical Wall Kit



The Vertical Wall Kit turns Pencil into a vertical wall lamp, rotating on its longitudinal axis by 360°, in both directions: according to its position, the module gives direct or indirect light.

The lighting module can be used in its fixed housing, or detached and carried from one place to another.

TECHNICAL DATA



Painted die-cast aluminium elements with chromed details



LD0815B3
White



LD0815R3
Rust



LD0815G3
Dark Grey



Pencil Horizontal Suspension Kit




The Horizontal Suspension Kit turns turns Pencil into a direct horizontal suspension lamp. The lighting module can be used in its fixed housing, or detached and carried from one place to another.

TECHNICAL DATA



Painted die-cast aluminium elements with chromed details



LD0812B3
White

LD0812R3
Rust


LD0812G3
Dark Grey

Pencil Vertical Suspension Kit



The Vertical Suspension Kit turns turns Pencil into a vertical suspension lamp. The lighting module can be used in its fixed housing, or detached and carried from one place to another.

TECHNICAL DATA



Painted die-cast aluminium elements with chromed details



LD0811B3
White

LD0811R3
Rust

LD0811G3
Dark Grey

Accessories

Charging Bases



LD0350RB
Contact charging base (Poldina, Poldina mini)



LD0490RB
Contact charging base (Poldina micro)



LD0390RB
Contact charging base (Poldina L)




LD0360RB
Contact charging base (Poldina XXL)



LD0350RP
Multi-contact charging base 6pcs (Poldina, Poldina mini, Pina, Swap, Swap mini, Home, Dama, Olimpia)



LD0490RP
Multi-contact charging base 12pcs (Poldina micro)



LD0870RP
Multi-contact charging base 6pcs (Olivia, Olivia mini, Ofelia)



LD0340RA
Multi-socket USB charger 8pcs



LD0850RB
Contact charging base (Olivia, Olivia mini)



LD0870RB
Contact charging base (Ofelia)



LD0650RB
Contact charging base (Pina)



LD0610RB
Contact charging base (Dama usb)



LD0800CS
Charger with a 3.5/1.3 connector (page 150) (Pencil lighting module, Pencil charging base)



LD0490UA
USB port power charger (Poldina micro, Swap mini)



LD0280UA
Charger with Micro-USB input (Poldina lamp with peg, Poldina suspension lamp, Poldina wall lamp)



CBL0420010000000
Charging cable with USB-c input (Sister Light)



LD0900RB
Contact charging base (Olimpia)



LD1010RB
Contact charging base (Swap)




LD1011RB
Contact charging base (Swap mini)



LD0258RB
Contact charging base (Home)



LD0300KT
Kit for mechanical affixing to a table (Sister Light table lamp)



LD0300KN
Kit for magnetic affixing (Sister Light)




LD0300KM
Kit for mechanical affixing (Sister Light)



LD0283B3
LD0283R3
LD0283N3
Stem extension (Poldina lamp with peg)



Multi-contact charging base (Poldina, Pina, Swap, Home, Dama, Olimpia) 6pcs




35W
INPUT: AC 220-240V | 50-60Hz OUTPUT: 5Vdc - 5A (6 pcs.)

Modular multi-contact (max 6 pcs.) charging base: they can be connected in sequence to simultaneously charge multiple set of lamps. Particularly suitable for professional use.


→ LD0350RP



Modular up to 50pcs





Multi-contact charging base (Poldina micro) 12pcs




35W
INPUT: AC 100-240V | 50-60Hz OUTPUT: 5Vdc - 5A (6 pcs.)

Modular multi-contact (max 12 pcs.) charging base: they can be connected in sequence to simultaneously charge multiple set of lamps. Particularly suitable for professional use.


→ LD0490RP



Modular up to 50pcs




Multi-contact charging base (Olivia, Ofelia) 6pcs




45W
INPUT: AC 100-240V | 50-60Hz OUTPUT: 9Vdc

Modular multi-contact (max 6 pcs.) charging base: they can be stacked (up to max 3 levels) to simultaneously charge multiple set of lamps. Particularly suitable for professional use.


→ LD0870RP



Modular up to 3 levels



Multi-socket usb charger 8pcs



40W
INPUT: AC 100-240V | 50-60Hz OUTPUT: 5Vdc - max 8A (8 pcs.)

USB multi-socket charger (8 x USB-A). Can charge of up to 8 devices simultaneously. A graphic display shows the level of the batteries being charged. Particularly suitable for professional use.

→ LD0340RA

Rechargeable Batteries

All rechargeable batteries are subject to wear when used.

The life of batteries, which can generally be recharged 450 times, may be reduced by certain factors: ① incorrect recharging mode (the lamp must be recharged when it is flat: about 10% of its remaining autonomy); ② when left unused for a long time; ③ when left for a long time on a live recharging base even if the lamp is recharged; ④ when non-original accessories are used for recharging; ⑤ when the product is exposed to very high or very low temperatures.

When the lamps no longer recharge or their autonomy after recharging is very short, the batteries must be replaced. Spare parts for Zafferano rechargeable lamps can be found in the catalogue and identified by a special code.

The warranty for batteries is only valid for manufacturing defects, which may occur after initial use.

BAT04701906701900
Pacco batteria sostitutiva singola (x 2 pz. **Pina tavolo; Home tavolo**)
x 3 pz. **Poldina L terra-tavolo**
Single replacement battery pack (x 2 pcs. **Pina table lamp; Home table lamp**)
x 3 pcs. **Poldina L floor-table lamp**)



BAT04704004001000
Pacco batteria sostitutiva singola (x 1 pz. **Poldina micro tavolo**)
Single replacement battery pack (x 1 pcs. **Poldina micro table lamp**)



BAT04703706701900
Pacco batteria sostitutiva doppia (x 1 pz. **Poldina tavolo, Poldina mini tavolo, Poldina picchetto, Poldina sospensione, Poldina parete, Olivia, Olivia mini, Ofelia, Dama, Olimpia;**)
x 3 pz. **Poldina XXL terra-tavolo**
Double replacement battery pack (x 1 pc. **Poldina table lamp, Poldina mini table lamp, Poldina lamp with peg, Poldina suspension lamp, Poldina wall lamp, Olivia, Olivia mini table lamp, Ofelia, Dama, Olimpia;**)
x 3 pcs. **Poldina XXL floor-table lamp**)



BAT04701906701902
Pacco batteria sostitutiva singola (x 2 pz. **Swap tavolo, Swap tavolo mini**)
Single replacement battery pack (x 2 pcs. **Swap table lamp, Swap mini table lamp**)



BAT04705506701900
Pacco batteria sostitutiva tripla (x 1 pz. **Sister Light**)
Triple replacement battery pack (x 1 pc. **Sister Light**)



BAT04702719700300
Pacco batteria sostitutiva per **modulo Pencil piccolo**
Replacement battery pack for **small Pencil module**



BAT04702739200600
Pacco batteria sostitutiva per **modulo Pencil medio**
Replacement battery pack for **medium Pencil module**



BAT04702758700900
Pacco batteria sostitutiva per **modulo Pencil grande**
Replacement battery pack for **large Pencil module**



zafferano
A M E R I C A



Shine a Light on Memorable Dining
DineLighting.com



Shine a Light on Memorable Dining
DineLighting.com

Food for the soul is also a feast for the eyes.

Providing an environment that lifts the spirit and enhances the meal is the goal of every great establishment.

Dine Lighting is happy to represent Zafferano:
"Shining a Light on Memorable Dining."™

Light Impacts Psychology & Mood in Restaurants.

Apicius, a first-century Roman, said,

"We eat with our eyes as well as our mouths."

The beauty of adequately presented food will provide an emotional experience before the first bite. Yet often, it is missed.

Zafferano designs provide unobtrusive lighting for indoor and outdoor applications.

Dine Lighting serves Country Clubs, Catering Facilities, Restaurants, and all Hospitality Venues in the North East.